8th World Congress on
Medicinal Plants and Marine Drugs
September 29-30, 2022 | Webinar
Volume: 11

Evaluation of Anti-typhoid Effects of Azadirachta indica L. Fractions

A Adetutu

Ladoke Akintola University of Technology, Nigeria

The development of resistance to currently known conventional anti-typhoid drugs has necessitated search into cheap, more potent and less toxic anti-typhoid drugs of plant origin. Therefore, this study investigated the anti-typhoid activity of fractions of A. indica in Salmonella typhi infected rats. Leaves of A. indica were extracted in methanol and fractionated into n-hexane, chloroform, ethyl-acetate and aqueous fractions. The anti-salmonella potentials of fractions of A. indica were assessed via in-vitro inhibition of S. typhi using agar well diffusion, Minimum Inhibitory Concentration (MIC), Minimum Bactericidal Concentration (MBC) and biofilm assays. The biochemical and haematological parameters were determined by spectrophotometric methods. The histological analysis was performed using Haematoxylin and Eosin staining methods. Data analysis was performed by one -way ANOVA. Results of this study showed that S. typhi was sensitive to aqueous and chloroform fractions of A. indica and the fractions showed biofilm inhibition at concentrations of 12.50, 1.562 and 0.39 mg/mL. In the in-vivo study, the extract and chloroform fraction had significant ($p<0.05$) effects on the number of viable S. typhi recovered from the blood and stopped salmonellosis after 6 days of treatment of rats at 500 mg/kg b.w. Treatments of infected rats with chloroform and aqueous fractions of A. indica normalized the haematological parameters in the animals. Similarly, treatment with fractions of the plants sustained a normal antioxidant status when compared with the normal control group. Chloroform and ethyl-acetate fractions of A. indica reversed the liver and intestinal degeneration induced by S. typhi infection in rats. The present investigation indicated that the aqueous and chloroform fractions of A. indica showed the potential to provide an effective treatment for salmonellosis, including typhoid fever. The results of the study may justify the ethno-medicinal use of the extract in traditional medicine for the treatment of typhoid and salmonella infections.

Biography

Dr. A Adetutu is affiliated to Department of biochemistry, Ladoke Akintola University of Technology, where Dr. A Adetutu is currently working as Faculty. Dr. A Adetutu has authored and co-authored several national and international publications and also working as a reviewer for reputed professional journals. Dr. A Adetutu is having an active association with different societies and academies around the world. Dr. A Adetutu made his mark in the scientific community with the contributions and widely recognition from honourable subject experts around the world. Dr. A Adetutu has received several awards for the contributions to the scientific community. Dr. A Adetutu major research interest involves Antioxidant, Anticancer, Toxicology and Oncology.

florence.justusoni@sabmiller.com